

## DOCUMENT RESUME

ED 090 014

SE 017 567

AUTHOR Thompson, Russ; Fuller, Albert  
TITLE Algebra I, Package 03-03, Addition and Multiplication of Real Numbers.  
INSTITUTION Arnold Public Schools, Nebr.  
SPONS AGENCY Bureau of Elementary and Secondary Education (DHEW/OE), Washington, D.C.  
PUB DATE 72  
NOTE 45p.; For related documents, see 017 553 through 566 and SE 017 568 through 575  
  
EDRS PRICE MF-\$0.75 HC-\$1.85 PLUS POSTAGE  
DESCRIPTORS Addition; \*Algebra; Deductive Methods; Grade 9; Individualized Instruction; \*Instructional Materials; Mathematical Concepts; Multiplication; Number Concepts; Objectives; \*Secondary School Mathematics; \*Teaching Guides; \*Tests  
  
IDENTIFIERS Axiomatics; Elementary Secondary Education Act Title III; ESEA Title III

## ABSTRACT

This teacher guide is part of the materials prepared for an individualized program for ninth-grade algebra and basic mathematics students. Materials written for the program are to be used with audiovisual lessons recorded on tape cassettes. For an evaluation of the program, see ED 086 545. In this guide, the teacher is provided with objectives for each topic area and guided to materials written for a given topic. Three short criterion tests are included for each topic covered. Properties of real numbers are developed through a set of axioms in this package. This work was prepared under an ESEA Title III contract. (JP)

ED 090 014

U S DEPARTMENT OF HEALTH,  
EDUCATION & WELFARE  
NATIONAL INSTITUTE OF  
EDUCATION

THIS DOCUMENT HAS BEEN REPRO-  
DUCED EXACTLY AS RECEIVED FROM  
THE PERSON OR ORGANIZATION ORIGIN-  
ATING IT. POINTS OF VIEW OR OPINIONS  
STATED DO NOT NECESSARILY REPRESENT  
OFFICIAL NATIONAL INSTITUTE OF  
EDUCATION POSITION OR POLICY

**ALGEBRA I**

**Package 03-03**

**ADDITION AND MULTIPLICATION**

**OF REAL NUMBERS**

**Prepared By**

**Russ Thompson and Albert Fuller**

**Under a Grant From  
ESEA, Title III, Nebraska Department of Education  
Jack Baillie, Administrator  
to  
Arnold Public Schools, Arnold, Nebraska**

© ARNOLD PUBLIC SCHOOLS 1972

PERMISSION TO REPRODUCE THIS COPY-  
RIGHTED MATERIAL HAS BEEN GRANTED BY

**Russell Thompson**

**Albert Fuller**

TO ERIC AND ORGANIZATIONS OPERATING  
UNDER AGREEMENTS WITH THE NATIONAL IN-  
STITUTE OF EDUCATION. FURTHER REPRO-  
DUCTION OUTSIDE THE ERIC SYSTEM RE-  
QUIRES PERMISSION OF THE COPYRIGHT  
OWNER.

SE 017 567

## ADDITION AND MULTIPLICATION OF REAL NUMBERS

In this unit, we begin the study of the structure of algebra by calling attention to some of the axioms, or postulates, for the set of real numbers. It is hard to realize the importance of some of these postulates because they seem to be such obvious statements. You will be tempted to brush some of them aside and ignore them. Don't yield to this temptation; remember, you can't build a house until you learn how to hammer a nail.

Many of these axioms, or postulates, will be referred to by name later in the course. You must be familiar with their names as well as their meanings.

**PACKAGE GOAL:** to understand some of the basic assumptions on which algebra is built and be able to apply them.

**PACKAGE OBJECTIVES:**

1. Given a set and an operation, tell if the set is closed under that operation.
2. Given a true sentence, indicate which axioms and principles are illustrated by the sentence.
3. Given a numerical expression involving addition and the "opposite" of a number, simplify the expression.
4. Given an open sentence involving the absolute value of a number, specify the solution set by graph.
5. Given a numerical expression involving addition, simplify the expression.
6. Given a variable expression, simplify by using the distributive axiom.
7. Given an expression that contains an indicated product, simplify the expression.
8. Given an expression that requires the application of the property of the reciprocal of a product, simplify the expression.

I. U. # 03-03-01

**Axiom of Closure**

You need to recall:

The quantifier, "for all", is another form of "for each". Therefore, a statement such as, "for all  $a$  and  $b$ , the sum  $a + b$  is 5" can be shown to be false by finding only one replacement for  $a$  and  $b$  such that  $a + b \neq 5$ .

#### OBJECTIVES:

1. When asked to state the axiom of closure for addition, you will write "For all real numbers  $a$  and  $b$ , the sum  $a + b$  is a unique real number."
2. When asked to state the axiom of closure for multiplication, you will write "For all real numbers  $a$  and  $b$ , the product  $ab$  is a unique real number".
3. Given a set and an operation, tell if the set is closed under that operation.

#### ACTIVITIES:

Study:

S & M: pages 63-64 (to paragraph three on page 64.) (objective 1,2,3)

Suggested exercises:

S & M: page 66; exs. 1 - 10 (objective 3)

**Criterion Test 03-03-01-1**

1. Write the axiom of closure for addition.
2. Write the axiom of closure for multiplication.
3. Indicate whether each of the sets is "closed" or "not closed" under the given operation.
  - (a)  $\{0, 1, 2, 3\}$ , addition
  - (b)  $\{1\}$ , multiplication
  - (c) {the positive even integers}, multiplication by 4.

**Criterion Test 03-03-01-2**

1. Write the axiom of closure for addition.
2. Write the axiom of closure for multiplication.
3. Indicate whether each of the sets is "closed" or "not closed" under the given operation.
  - (a)  $\{1, 3, 5\}$ , multiplication
  - (b) {the powers of 2}, multiplication
  - (c)  $\{0, 2, 4, 6, \dots\}$ , addition

**Criterion Test 03-03-01-3**

1. Write the axiom of closure for addition.
2. Write the axiom of closure for multiplication.
3. Indicate whether each of the sets is "closed" or "not closed" under the given operation.
  - (a)  $\{0, 1\}$ , multiplication
  - (b) {the natural numbers}, subtraction
  - (c)  $\{0, 5, 10, 15, \dots\}$ , addition

## Answers

### Criterion Test 03-03-01-01

1. For all real numbers  $a$  and  $b$ , the sum  $a + b$  is a unique real number.
2. For all real numbers  $a$  and  $b$ , the product  $a \cdot b$  is a unique real number.
3. (a) not closed  
(b) closed  
(c) closed

### Criterion Test 03-03-01-02

1. For all real numbers  $a$  and  $b$ , the sum  $a + b$  is a unique real number.
2. For all real numbers  $a$  and  $b$ , the product  $a \cdot b$  is a unique real number.
3. (a) not closed  
(b) closed  
(c) closed

### Criterion Test 03-03-01-03

1. For all real numbers  $a$  and  $b$ , the sum  $a + b$  is a unique real number.
2. For all real numbers  $a$  and  $b$ , the product  $a \cdot b$  is a unique real number.
3. (a) closed  
(b) not closed  
(c) closed

**I. U. # 03-03-02**

**Identifying Axioms**

**OBJECTIVES:**

1. When asked to state the reflexive property of equality, you will write, "For all real numbers  $a$ ,  $a = a$ ".
2. When asked to state the symmetric property of equality, you will write, "For all real numbers  $a$  and  $b$ : If  $a = b$ , then  $b = a$ ".
3. When asked to state the transitive property of equality, you will write, "For all real numbers  $a$ ,  $b$ , and  $c$ : If  $a = b$  and  $b = c$ , then  $a = c$ ".
4. When asked to state the commutative axiom of addition, you will write, "For all real numbers  $a$  and  $b$ ,  $a + b = b + a$ ".
5. When asked to state the commutative axiom of multiplication, you will write, "For all real numbers  $a$  and  $b$ ,  $ab = ba$ ".
6. When asked to state the associative axiom of addition, you will write, "For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(a + b) + c = a + (b + c)$ ".
7. When asked to write the associative axiom of multiplication, you will write, "For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(ab)c = a(bc)$ ".
8. Given a true sentence, indicate which axioms and principles are illustrated by the sentence.

**ACTIVITIES:****Study:**

S & M: page 64, beginning with paragraph three.  
 (objectives 1, 2, 3, and 8)  
 pages 66 - 68 (objectives 4, 5, 6, 7, 8)

**Suggested exercises:**

S & M: page 65; ex. 15 - 24 (objectives 1, 2, 3, 8)  
 page 68; ex. 1 - 20 (objectives 4, 5, 6, 7, 8)

**Criterion Test 03-03-02-01**

1. State the reflexive property of equality.
2. State the symmetric property of equality.
3. State the transitive property of equality.
4. State the commutative axiom of addition.
5. State the commutative axiom of multiplication.
6. State the associative axiom of addition.
7. State the associative axiom of multiplication.
8. Name the axiom illustrated by each of the following true sentences.
  - (a)  $7 \cdot 5 = 5 \cdot 7$
  - (b) If  $x + y = 5$ , then  $5 = x + y$
  - (c)  $9 \cdot (3 \cdot 6) = (3 \cdot 6) \cdot 9$
  - (d)  $3 + (5 + y) = 8 + y$

**Criterion Test 03-03-02-02**

1. State the reflexive property of equality.
2. State the symmetric property of equality.
3. State the transitive property of equality.
4. State the commutative axiom of addition.
5. State the commutative axiom of multiplication.
6. State the associative axiom of addition.
7. State the associative axiom of multiplication.
8. Name the axiom illustrated by each of the following true sentences.
  - (a)  $7 + 6 = 6 + 7$
  - (b)  $9 + (7 + 3) = (7 + 3) + 9$
  - (c)  $x + y = x + y$
  - (d)  $(5 \cdot 3) \cdot 2 = 5 \cdot (3 \cdot 2)$

**Criterion Test 03-03-02-3**

1. State the reflexive property of equality.
2. State the symmetric property of equality.
3. State the transitive property of equality.
4. State the commutative axiom of addition.
5. State the commutative axiom of multiplication.
6. State the associative axiom of addition.
7. State the associative axiom of multiplication.
8. Name the axiom illustrated by each of the following true sentences.
  - (a) If  $x = 3$  and  $3 = y$ , then  $x = y$ .
  - (b)  $8 \cdot (5 \cdot 3) = (8 \cdot 5) \cdot 3$
  - (c)  $-3 + 0 = 0 + -3$
  - (d)  $(x + 7) + 3 = x + 10$

**Answers:**

**Criterion Test 03-03-02-01**

1. For all real numbers  $a$ ,  $a = a$ .
2. For all real numbers  $a$  and  $b$ ; If  $a = b$  then  $b = a$ .
3. For all real numbers  $a$ ,  $b$ , and  $c$ : If  $a = b$  and  $b = c$ , then  $a = c$ .
4. For all real numbers  $a$  and  $b$ ,  $a + b = b + a$ .
5. For all real numbers  $a$  and  $b$ ,  $ab = ba$ .
6. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(a + b) + c = a + (b + c)$ .
7. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(ab)c = a(bc)$ .
8. (a) commutative axiom of multiplication  
(b) symmetric property of equality  
(c) commutative axiom of multiplication  
(d) associative axiom of addition and substitution principle.

**Criterion Test 03-03-02-02**

1. For all real numbers  $a$ ,  $a = a$ .
2. For all real numbers  $a$  and  $b$ ; If  $a = b$ , then  $b = a$ .
3. For all real numbers  $a$ ,  $b$ , and  $c$ : If  $a = b$  and  $b = c$ , then  $a = c$ .
4. For all real numbers  $a$  and  $b$ ,  $a + b = b + a$ .
5. For all real numbers  $a$  and  $b$ ,  $ab = ba$ .

(continued)

**Answers (continued)**

6. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(a + b) + c = a + (b + c)$ .
7. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(ab)c = a(bc)$ .
8. (a) commutative axiom of addition  
(b) commutative axiom of addition.  
(c) reflexive property of equality  
(d) associative axiom of multiplication

**Criterion Test 03-03-02-03**

1. For all real numbers  $a$ ,  $a = a$ .
2. For all real numbers  $a$  and  $b$ : If  $a = b$  then  $b = a$ .
3. For all real numbers  $a$ ,  $b$ , and  $c$ : If  $a = b$  and  $b = c$ , then  $a = c$ .
4. For all real numbers  $a$  and  $b$ ,  $a + b = b + a$ .
5. For all real numbers  $a$  and  $b$ ,  $ab = ba$ .
6. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(a + b) + c = a + (b + c)$ .
7. For all real numbers  $a$ ,  $b$ , and  $c$ ,  $(ab)c = a(bc)$ .
8. (a) transitive property of equality  
(b) associative property of multiplication  
(c) commutative axiom of addition  
(d) associative axiom of addition and substitution principle.

**I. U. # 03-03-03**

**The Opposite of a Real Number**

**OBJECTIVES:**

1. When asked to state the additive axiom of zero, you will write, "The set of real numbers contains a unique element 0 having the property that for every real number  $a$ ,  $a + 0 = a$  and  $0 + a = a$ ".
2. Given an expression involving the addition of real numbers, simplify the expression.
3. When asked to state the axiom of opposites, you will write, "For every real number  $a$  there is a unique real number  $-a$  such that  $a + (-a) = 0$  and  $(-a) + a = 0$ ".
4. Given a numerical expression involving addition and the opposite of a number, simplify the expression.

**ACTIVITIES:****Study:**

S & M: pages 70 - 73, (objectives 1, 2, and 4)  
 pages 76 - 78, (objectives 3 and 4)

**Suggested exercises**

S & M: page 74; ex. 1 - 13, odd (objectives 1, 2, and 4)  
 pages 78 - 79; 1 - 15, odd (objectives 3 and 4)

**Criterion Test 03-03-03-01**

1. State the addition axiom of zero.

2. Simplify each expression.

(a)  $-6 + -8$

(b)  $(-5 + 5) + -6 \frac{1}{2}$

(c)  $7 + -5$

3. State the axiom of opposites.

4. Simplify each expression.

(a)  $-(-6) + 4$

(b)  $-(-3 + 8)$

(c)  $-[8 + (-5)]$

**Criterion Test 03-03-03-02**

1. State the addition axiom of zero.

2. Simplify each expression.

(a)  $-12 + 5$

(b)  $(-6 + 3) + -3 \frac{3}{4}$

(c)  $3 + -3$

3. State the axiom of opposites.

4. Simplify each expression.

(a)  $-(-5) + 4$

(b)  $-(-8 + 5)$

(c)  $-[7 + (-3)]$

**Criterion Test 03-03-03-03**

**1. State the addition axiom of zero.**

**2. Simplify each expression.**

(a)  $-8 + 4$

(b)  $(-6 + 8) + 2 \frac{1}{2}$

(c)  $-6 + -8$

**3. State the axiom of opposites.**

**4. Simplify each expression.**

(a)  $-(-7) + 2$

(b)  $-(-8 + -2)$

(c)  $-[-3 + (-7)]$

Answers:

Criterion Test 03-03-03-01

1. The set of real numbers contains a unique element 0 having the property that for every real number  $a$ ,  $a + 0 = a$  and  $0 + a = a$ .
2. (a)  $-14$   
(b)  $-6 \frac{1}{2}$   
(c) 2
3. For every real number  $a$  there is a unique real number  $-a$  such that  $a + (-a) = 0$  and  $(-a) + a = 0$ .
4. (a) 10  
(b)  $-5$   
(c)  $-3$

Criterion Test 03-03-03-02

1. The set of real numbers contains a unique element 0 having the property that for every real number  $a$ ,  $a + 0 = a$  and  $0 + a = a$ .
2. (a)  $-7$   
(b)  $-6 \frac{3}{4}$   
(c) 0
3. For every real number  $a$  there is a unique real number  $-a$  such that  $a + (-a) = 0$  and  $(-a) + a = 0$ .
4. (a) 9  
(b) 3  
(c)  $-4$

**Answers:**

**Criterion Test 03-03-03**

1. The set of real numbers contains a unique element 0 having the property that for every real number  $a$ ,  $a + 0 = a$  and  $0 + a = a$ .
2. (a)  $-4$   
(b)  $4 \frac{1}{2}$   
(c)  $-14$
3. For every real number  $a$  there is a unique real number  $-a$  such that  $a + (-a) = 0$  and  $(-a) + a = 0$ .
4. (a) 9  
(b) 10  
(c) 10

**I. U. # 03-03-04\_**

**Absolute Value**

**OBJECTIVES:**

1. Given an expression involving absolute value, determine the value of the expression.
2. Given an open sentence involving the absolute value of a number, specify the solution set by graph.

**ACTIVITIES:****Study:**

S & M: pages 79 - 80 (objectives 1 and 2)

**Suggested exercises:**

S & M: page 81; ex. 1 - 11 odd (objective 1)  
pages 81 - 82; ex. 13 - 23, odd (objective 2)

**Criterion Test 03-03-04-01**

1. Determine the value of each expression.

(a)  $|-8 + 5| - 3$   
(b)  $3|-4| + |-5|$   
(c)  $-|3|$

2. Specify the solution set of each equation or inequality by graph.

(a)  $|x| + 6 = 20$   
(b)  $|x| > 2$   
(c)  $|x| \leq 4$

**Criterion Test 03-03-04-02**

1. Determine the value of each expression.

(a)  $|7 + (-4)| + 4$   
(b)  $3|-5| + |3|$   
(c)  $-|8|$

2. Specify the solution set of each equation or inequality by graph.

(a)  $|x| + (-3) = 1$   
(b)  $|x| > 3$   
(c)  $|x| \leq 2$

**Criterion Test 03-03-04-03**

1. Determine the value of each expression.

(a)  $|-3 + 1| + 4$   
(b)  $|-7| + 3|-2|$   
(c)  $-|4|$

2. Specify the solution set of each equation or inequality by graph.


(a)  $|x| + 1 = 6$   
(b)  $|x| \leq 6$   
(c)  $|x| > 2$

Answers:


Criterion Test 03-03-04-01

1. (a) 0 (b) 17 (c) -3


2. (a)



(b)




(c)




Criterion Test 03-03-04-02

1. (a) 7 (b) 18 (c) -8


2. (a)



(b)



(c)




**Answers:**


**Criterion Test 03-03-04-03**

1. (a) 6                      (b) 13                      (c) -4


2. (a)



(b)



(c)



**I. U. # 03-03-05**

**Addition**

**OBJECTIVES:**

1. When asked to complete the sentence, "If  $a$  and  $b$  are each positive numbers or zero, then  $a + b = \underline{\quad ? \quad}$ ," you will write  $|a| + |b|$ .
2. When asked to complete the sentence, "If  $a$  and  $b$  are each negative numbers, then  $a + b = \underline{\quad ? \quad}$ ," you will write  $-(|a| + |b|)$ .
3. When asked to complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $\begin{array}{|c|} \hline a \\ \hline \end{array} \geq \begin{array}{|c|} \hline b \\ \hline \end{array}$ , then  $a + b = \underline{\quad ? \quad}$ ," you will write  $\begin{array}{|c|} \hline a \\ \hline \end{array} - \begin{array}{|c|} \hline b \\ \hline \end{array}$ .
4. When asked to complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $\begin{array}{|c|} \hline b \\ \hline \end{array} \geq \begin{array}{|c|} \hline a \\ \hline \end{array}$ , then  $a + b = \underline{\quad ? \quad}$ ," you will write  $-(\begin{array}{|c|} \hline b \\ \hline \end{array} - \begin{array}{|c|} \hline a \\ \hline \end{array})$ .
5. Given a numerical expression involving addition, simplify the expression.

**ACTIVITIES:****Study:**

S & M: pages 82 - 84 (objectives 1,2,3,4,5)

**Suggested exercises:**

S & M: page 86; ex. 1 - 17, odd (objectives 1,2,3,4,5)

Criterion Test 03-03-05-01

1. Complete the sentence, "If  $a$  and  $b$  are each positive numbers or zero, then  $a + b = \underline{\quad ? \quad}$ ".
2. Complete the sentence, "If  $a$  and  $b$  are each negative numbers, then  $a + b = \underline{\quad ? \quad}$ ".
3. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|a| \geq |b|$ , then  $a + b = \underline{\quad ? \quad}$ ".
4. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|b| \geq |a|$ , then  $a + b = \underline{\quad ? \quad}$ ".
5. Simplify each expression.
  - (a)  $-20 + (-8) + 7 + 12$
  - (b)  $-3 + (-5) + [-(3 + 5)]$
  - (c)  $-0.7 + 1.72 + (-3.1) + 2$

Criterion Test 03-03-05-02

1. Complete the sentence, "If  $a$  and  $b$  are each positive numbers or zero, then  $a + b = \underline{\quad ? \quad}$ ".
2. Complete the sentence, "If  $a$  and  $b$  are each negative numbers, then  $a + b = \underline{\quad ? \quad}$ ".
3. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|a| \geq |b|$ , then  $a + b = \underline{\quad ? \quad}$ ".
4. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|b| \geq |a|$ , then  $a + b = \underline{\quad ? \quad}$ ".
5. Simplify each expression.
  - (a)  $17 + (-8) + 0 + (-14)$
  - (b)  $-3 + (-8) + (-7) + 5$
  - (c)  $-[7 + (-6)] + 14 + (-3)$

Criterion Test 03-03-05-03

1. Complete the sentence, "If  $a$  and  $b$  are each positive numbers or zero, then  $a + b = \underline{\quad ? \quad}$ ".
2. Complete the sentence, "If  $a$  and  $b$  are each negative numbers, then  $a + b = \underline{\quad ? \quad}$ ".
3. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|a| \geq |b|$ , then  $a + b = \underline{\quad ? \quad}$ ".
4. Complete the sentence, "If  $a$  is a positive number and  $b$  is a negative number and  $|b| \geq |a|$ , then  $a + b = \underline{\quad ? \quad}$ ".
5. Simplify each expression.
  - (a)  $-14 + (-8) + 5 + (-9)$
  - (b)  $-3 + 6 + (-12) + 14$
  - (c)  $-15 + [-(-6 + (-8))]$

**Answers:**

**Criterion Test 03-03-05-01**

1.  $|a| + |b|$
2.  $-(|a| + |b|)$
3.  $|a| - |b|$
4.  $-(|b| - |a|)$
5. (a) -9  
(b) -1.5  
(c) -.08

**Criterion Test 03-03-05-02**

1.  $|a| + |b|$
2.  $-(|a| + |b|)$
3.  $|a| - |b|$
4.  $-(|b| - |a|)$
5. (a) -5  
(b) -13  
(c) 10

**Criterion Test 03-03-05-03**

1.  $|a| + |b|$
2.  $-(|a| + |b|)$
3.  $|a| - |b|$
4.  $-(|b| - |a|)$
5. (a) -26  
(b) 5  
(c) -1

I. U. # 03-03-06

The Distributive Axiom

**OBJECTIVES:**

1. Given a variable expression, simplify by using the distributive property.

**ACTIVITIES:****Study:**

S & M: pages 88 - 89, (Objective 1)

**Suggested exercises:**

S & M: page 90; exercises 1 - 19, odd (Objective 1)

Criterion Test 03-03-06-01

1. Simplify each expression.

(a)  $37x + 12x$

(b)  $4x + 2y + 9x + 40y$

(c)  $5xy + 4x + (-2)xy + 8x$

(d)  $3x^2 + 5x + 2x + 4x^2$

Criterion Test 03-03-06-02

1. Simplify each expression.

(a)  $42x + 11x$

(b)  $12x + 3y + 5x + 7y$

(c)  $7x + 2xy + (-3)xy + 5x$

(d)  $4y^2 + 2y^2 + 7y$

Criterion Test 03-03-06-03

1. Simplify each expression.

(a)  $5x + 3x + 5 + 28x + (-11)$

(b)  $7x + 3y + 4x + 8y$

(c)  $2xy + (-3)x + 2xy + 7x$

(d)  $3x^2 + 2x + 5x^2 + (-2)x$

## Answers to Criterion Tests

### Criterion Test 03-03-06-01

1. (a)  $49x$   
(b)  $13x + 42y$   
(c)  $3xy + 12x$   
(d)  $7x^2 + 7x$

### Criterion Test 03-03-06-02

1. (a)  $53x$   
(b)  $17x + 10y$   
(c)  $12x + (-1)xy$   
(d)  $6y^2 + 7y$

### Criterion Test 03-03-06-03

1. (a)  $36x + (-6)$   
(b)  $11x + 11y$   
(c)  $4xy + 4x$   
(d)  $8x^2$

**I. U. # 03-03-07**

**Multiplication**

**OBJECTIVES:**

1. When asked to state the multiplicative axiom of one, you will write, "The set of real numbers has a unique element 1 having the property that for every real number  $a$ ,  $a \cdot 1 = a$  and  $1 \cdot a = a$ ".
2. When asked to state the multiplicative property of zero, you will write, "For each real number  $a$ ,  $a \cdot 0 = 0$  and  $0 \cdot a = 0$ ".
3. When asked to state the multiplicative property of -1, you will write, "For all real numbers  $a$ ,  $a(-1) = -a$  and  $(-1)a = -a$ ".
4. When asked to complete the statement, "The product of a positive and a negative number is ?", you will write "a negative number".
5. When asked to complete the statement "The product of two positive numbers is ?", you will write, "a positive number".
6. When asked to complete the statement, "The product of two negative numbers is ?", you will write, "a positive number".
7. When asked to complete the statement, "The absolute value of the product of two real numbers is ?", you will write, "the product of the absolute values of the numbers".
8. Given an expression that contains an indicated product, simplify the expression.

**ACTIVITIES:****Study:**

S & M: pages 92 - 94 (Objectives 1, 2, 3, 4, 5, 6, 7, 8)

**Suggested exercises:**

S & M: pages 95, 96, exercises 1 - 29, odd  
(Objective 8)

**Criterion Test 03-03-07-01**

1. State the multiplicative axiom of one.
2. State the multiplicative property of zero.
3. State the multiplicative property of -1.
4. Complete the statement, "The product of a positive and a negative number is ?".
5. Complete the statement, "The product of two positive numbers is ?".
6. Complete the statement, "The product of two negative numbers is ?".
7. Complete the statement, "The absolute value of the product of two real numbers is ?".
8. Simplify each expression.
  - (a)  $(-5)(-3) + (-2)(5)$
  - (b)  $-6[3 + (-4)]$
  - (c)  $3 - (-y) + 3y + 7 + 2y$

**Criterion Test 03-03-07-02**

1. State the multiplicative axiom of one.
2. State the multiplicative property of zero.
3. State the multiplicative property of  $-1$ .
4. Complete the statement, "The product of a positive and a negative number is   ?  ".
5. Complete the statement, "The product of two positive numbers is   ?  ".
6. Complete the statement, "The product of two negative numbers is   ?  ".
7. Complete the statement, "The absolute value of the product of two real numbers is   ?  ".
8. Simplify each expression.
  - (a)  $(-6)(-8) + (-2)(15)$
  - (b)  $-3[8 + (-4)]$
  - (c)  $8 - (-2y) + (-3)y + 7 + 4y$

Criterion Test 03-03-07-03

1. State the multiplicative axiom of one.
2. State the multiplicative property of zero.
3. State the multiplicative property of  $-1$ .
4. Complete the statement, "The product of a positive and a negative number is ?".
5. Complete the statement, "The product of two positive numbers is ?".
6. Complete the statement, "The product of two negative numbers is ?".
7. Complete the statement, "The absolute value of the product of two real numbers is ?".
8. Simplify each expression.
  - (a)  $(5)(-3) + (-2)(-5)$
  - (b)  $-6[(-3) + (4)]$
  - (c)  $3 + (-y) + 3y + (-7) + 2y$

**Answers:**

**Criterion Test 03-03-07-01**

1. The set of real numbers has a unique element 1 having the property that for every real number  $a$ ,  $a \cdot 1 = a$  and  $1 \cdot a = a$ .
2. For each real number  $a$ ,  $a \cdot 0 = 0$  and  $0 \cdot a = 0$ .
3. For all real numbers  $a$ ,  $a(-1) = -a$  and  $(-1)a = -a$ .
4. a negative number
5. a positive number
6. a positive number
7. the product of the absolute values of the numbers.
8. (a) +5  
(b) 6  
(c)  $10 + 6y$

**Criterion Test 03-03-07-02**

1. The set of real numbers has a unique element 1 having the property that for every real number  $a$ ,  $a \cdot 1 = a$  and  $1 \cdot a = a$ .
2. For each real number  $a$ ,  $a \cdot 0 = 0$  and  $0 \cdot a = 0$ .
3. For all real numbers  $a$ ,  $a(-1) = -a$  and  $(-1)a = -a$ .
4. a negative number
5. a positive number
6. a positive number
7. the product of the absolute values of the numbers
8. (a) +18  
(b) -12  
(c)  $15 + 3y$

**Answers (continued)**

**Criterion Test 03-03-07-03**

1. The set of real numbers has a unique element 1 having the property that for every real number  $a$ ,  $a \cdot 1 = a$  and  $1 \cdot a = a$ .
2. For each real number  $a$ ,  $a \cdot 0 = 0$  and  $0 \cdot a = 0$ .
3. For all real numbers  $a$ ,  $a(-1) = -a$  and  $(-1)a = -a$ .
4. a negative number
5. a positive number
6. a positive number
7. the product of the absolute values of the numbers
8. (a) -5  
(b) -6  
(c)  $4y + (-4)$

I. U. # 03-03-08

**The Reciprocal of a Real Number**

**OBJECTIVES:**

1. When asked to state the axiom of reciprocals, you will write, "For every real number  $a$  except 0, there is a unique real number  $1/a$ , such that  $a \cdot 1/a = 1$  and  $1/a \cdot a = 1$ ."
2. Given a real number, write its reciprocal (multiplicative inverse).
3. When asked to state the property of the reciprocal of a product, you will write " $1/ab = 1/a \cdot 1/b$ , ( $a \neq 0$  and  $b \neq 0$ )".
4. Given an expression that requires the use of the axiom of reciprocals, simplify the expression.

**ACTIVITIES:**

Study:

S & M: pages 97 - 98 (Objectives 1, 2, 3, 4).

Suggested exercises

S & M: page 99; ex. 1 - 12 (Objective 2).  
page 100; ex. 1 - 25, odd (Objective 4).

**Criterion Test 03-03-00-01**

1. State the axiom of reciprocals.
2. Write the reciprocal of each number.
  - (a)  $-1/8$
  - (b)  $3/x$
  - (c)  $8$
3. State the property of the reciprocal of a product.
4. Simplify each expression.
  - (a)  $6ab(-1/6)$
  - (b)  $(-40x^8)(1/10)$
  - (c)  $1/2 (8x + 10)$

**Criterion Test 03-03-00-02**

1. State the axiom of reciprocals.
2. Write the reciprocal of each number.
  - (a)  $-3/8$
  - (b)  $4/x$
  - (c)  $-12$
3. State the property of the reciprocal of a product.
4. Simplify each expression.
  - (a)  $7xy(-1/7)$
  - (b)  $1/8 (-48x^2)$
  - (c)  $1/3 (9x + 12)$

**Criterion Test 03-03-08-03**

1. State the axiom of reciprocals.
2. Write the reciprocal of each number.
  - (a)  $-2/9$
  - (b)  $1/ab$
  - (c)  $14$
3. State the property of the reciprocal of a product.
4. Simplify each expression.
  - (a)  $-1/9 (9xy)$
  - (b)  $(-25x^2)(-1/5)$
  - (c)  $-1/4(12 + 20x)$

Answers:

Criterion Test 03-03-08-01

1. For every real number  $a$  except 0, there is a unique real number  $1/a$ , such that  $a \cdot 1/a = 1$  and  $1/a \cdot a = 1$ .
2. (a)  $-8$   
(b)  $x/3$   
(c)  $1/8$
3.  $1/a \cdot b = 1/a \cdot 1/b$ , ( $a \neq 0$  and  $b \neq 0$ )
4. (a)  $-ab_3$   
(b)  $-4x$   
(c)  $4x + 5$

Criterion Test 03-03-08-02

1. For every real number  $a$  except 0, there is a unique real number  $1/a$ , such that  $a \cdot 1/a = 1$  and  $1/a \cdot a = 1$ .
2. (a)  $-8/3$   
(b)  $x/4$   
(c)  $-1/12$
3.  $1/a \cdot b = 1/a \cdot 1/a$ , ( $a \neq 0$  and  $b \neq 0$ )
4. (a)  $-xy$   
(b)  $-6x^2$   
(c)  $3x + 4$

Criterion Test 03-03-08-03

1. For every real number  $a$  except 0, there is a unique real number  $1/a$ , such that  $a \cdot 1/a = 1$  and  $1/a \cdot a = 1$ .
2. (a)  $-9/2$   
(b)  $ab$   
(c)  $1/14$
3.  $1/a \cdot b = 1/a \cdot 1/b$ , ( $a \neq 0$  and  $b \neq 0$ )
4. (a)  $-xy$   
(b)  $5x^2$   
(c)  $-3 + (-5x)$